

# DKIS Renewables Report: 2 Jan 2023 - 2 Apr 2023

Renewables  
Penetration:

10.4%

Fossil Fuels:

81.1%


Other Sources\*:

8.5%


Minimum Gross Demand:	125.2	MW @ 4:00, 5 Feb
Maximum Gross Demand:	287.7	MW @ 14:00, 16 Feb
Minimum Net Demand:	120.8	MW @ 9:00, 5 Feb
Maximum Net Demand:	249.4	MW @ 18:00, 27 Mar
Maximum Renewable Power:	92.2	MW @ 13:00, 11 Mar

### Total Overall


Fuel	MWh	Percent
Fossil	343,485	81.1%
Biomass	2,195	0.5%
Steam	33,694	8.0%
Distributed PV	41,888	9.9%
Utility Solar	2,328	0.5%




<b>Best Hour:</b>	41.2%	at	12:00, 11 Mar
Fuel	MWh	Percent	
Fossil	122.0	55.3%	
Biomass	1.1	0.5%	
Steam	6.7	3.1%	
Distributed PV	84.7	38.4%	
Utility Solar	6.1	2.8%	




<b>Best Week:</b>	12.5%	for	20 Mar - 26 Mar
Fuel	MWh	Percent	
Fossil	28,371	83.7%	
Biomass	171	0.5%	
Steam	1,107	3.3%	
Distributed PV	3,787	11.2%	
Utility Solar	457	1.3%	



Proportion of energy generated by each fuel type each day



Total energy generated by each fuel type each day (MWh)



\* Landfill gas is methane sourced from the Shoal Bay waste facility that is burned to power a generator. This methane is constantly generated by the waste and would otherwise be released into the atmosphere. Therefore, utilising it in this way in fact decreases the emissions by destroying the methane and by offsetting the need for additional fossil fuel generation. (<https://www.epa.gov/lmop/benefits-landfill-gas-energy-projects>)

\* Steam is created using waste heat from fossil fuel generation. The steam is then used to create low-emissions power that offsets the need for additional fossil fuel generation.

**Data sources:**  
BTM - 3rd party estimated actuals  
Other generation - PI

This report is for informational purposes only and is subject to the accuracy of the source data.